§4.114

title "Diseases of the Digestive System," do not lend themselves to distinct and separate disability evaluations without violating the fundamental principle relating pyramiding as outlined in §4.14.

§4.114 Schedule of ratings—digestive

Ratings under diagnostic codes 7301 to 7329, inclusive, 7331, 7342, and 7345 to 7348 inclusive will not be combined with each other. A single evaluation will be assigned under the diagnostic code which reflects the predominant disability picture, with elevation to the next higher evaluation where the severity of the overall disability warrants such elevation.

	Rating
7200 Mouth, injuries of.	
Rate as for disfigurement and impairment of	
function of mastication.	
7201 Lips, injuries of.	
Rate as for disfigurement of face.	
7202 Tongue, loss of whole or part:	
With inability to communicate by speech	100
One-half or more	60
With marked speech impairment	30
7203 Esophagus, stricture of:	
Permitting passage of liquids only, with marked	
impairment of general health	80
Severe, permitting liquids only	50
Moderate	30
7204 Esophagus, spasm of (cardiospasm).	
If not amenable to dilation, rate as for the de-	
gree of obstruction (stricture).	
7205 Esophagus, diverticulum of, acquired.	
Rate as for obstruction (stricture).	
7301 Peritoneum, adhesions of:	
Severe; definite partial obstruction shown by X-	
ray, with frequent and prolonged episodes of	
severe colic distension, nausea or vomiting,	
following severe peritonitis, ruptured appen- dix, perforated ulcer, or operation with drain-	
age	50
Moderately severe; partial obstruction mani-	30
fested by delayed motility of barium meal and	
less frequent and less prolonged episodes of	
pain	30
Moderate; pulling pain on attempting work or	30
aggravated by movements of the body, or	
occasional episodes of colic pain, nausea,	
constipation (perhaps alternating with diar-	
rhea) or abdominal distension	10
Mild	0
Note: Ratings for adhesions will be considered	"
when there is history of operative or other	
traumatic or infectious (intraabdominal) proc-	
ess, and at least two of the following: disturb-	
ance of motility, actual partial obstruction, re-	
flex disturbances, presence of pain.	
7304 Ulcer, gastric.	
7305 Ulcer, duodenal:	
Severe; pain only partially relieved by standard	
ulcer therapy, periodic vomiting, recurrent	
hematemesis or melena, with manifestations	
	I

of anemia and weight loss productive of defi-

nite impairment of health ...

•	
	Rating
Moderately severe; less than severe but with impairment of health manifested by anemia and weight loss; or recurrent incapacitating	
episodes averaging 10 days or more in dura- tion at least four or more times a year	40
days in duration; or with continuous mod- erate manifestations	20
yearly	10
Pronounced; periodic or continuous pain unrelieved by standard ulcer therapy with periodic vomiting, recurring melena or hematemesis, and weight loss. Totally inca-	
pacitating	100
nounced and less continuous symptoms with definite impairment of health	60
dominal pain at least once a month partially or completely relieved by ulcer therapy, mild and transient episodes of vomiting or melena	40
Moderate; with episodes of recurring symptoms several times a year	20
Mild; with brief episodes of recurring symptoms once or twice yearly	10
7307 Gastritis, hypertrophic (identified by gastroscope): Chronic; with severe hemorrhages, or large ul-	
cerated or eroded areas Chronic; with multiple small eroded or ulcerated	60
areas, and symptoms	30
toms	10
ing pernicious anemia. Rate the underlying condition.	
7308 Postgastrectomy syndromes: Severe; associated with nausea, sweating, cir- culatory disturbance after meals, diarrhea, hypoglycemic symptoms, and weight loss	
with malnutrition and anemia	60
weight loss	40
with characteristic mild circulatory symptoms or continuous mild manifestations	20
Rate as for gastric ulcer. 7310 Stomach, injury of, residuals.	
Rate as peritoneal adhesions. 7311 Residuals of injury of the liver:	
Depending on the specific residuals, separately evaluate as adhesions of peritoneum (diagnostic code 7301), cirrhosis of liver (diagnostic code 7312), and chronic liver disease without cirrhosis (diagnostic code 7345).	
7312 Cirrhosis of the liver, primary biliary cirrhosis, or cirrhotic phase of sclerosing cholangitis:	
Generalized weakness, substantial weight loss, and persistent jaundice, or; with one of the following refractory to treatment: ascites, he- patic encephalopathy, hemorrhage from	
varices or portal gastropathy (erosive gastritis)	100
•	

60

	Rating		Rating
History of two or more episodes of ascites, he-		Rate as for irritable colon syndrome.	
patic encephalopathy, or hemorrhage from		7326 Enterocolitis, chronic.	
varices or portal gastropathy (erosive gas-		Rate as for irritable colon syndrome.	
tritis), but with periods of remission between		7327 Diverticulitis.	
attacks	70	Rate as for irritable colon syndrome, peritoneal	
History of one episode of ascites, hepatic encephalopathy, or hemorrhage from varices		adhesions, or colitis, ulcerative, depending upon the predominant disability picture.	
or portal gastropathy (erosive gastritis)	50	7328 Intestine, small, resection of:	
Portal hypertension and splenomegaly, with	30	With marked interference with absorption and	
weakness, anorexia, abdominal pain, mal-		nutrition, manifested by severe impairment of	
aise, and at least minor weight loss	30	health objectively supported by examination	
Symptoms such as weakness, anorexia, ab-		findings including material weight loss	6
dominal pain, and malaise	10	With definite interference with absorption and nutrition, manifested by impairment of health	
NOTE: For evaluation under diagnostic code		objectively supported by examination findings	
7312, documentation of cirrhosis (by biopsy or imaging) and abnormal liver function tests		including definite weight loss	4
must be present.		Symptomatic with diarrhea, anemia and inability	
314 Cholecystitis, chronic:		to gain weight	2
Severe; frequent attacks of gall bladder colic	30	NOTE: Where residual adhesions constitute the	
Moderate; gall bladder dyspepsia, confirmed by		predominant disability, rate under diagnostic	
X-ray technique, and with infrequent attacks		code 7301.	
(not over two or three a year) of gall bladder		7329 Intestine, large, resection of: With severe symptoms, objectively supported	
colic, with or without jaundice	10	by examination findings	4
Mild	0	With moderate symptoms	2
Rate as for chronic cholecystitis.		With slight symptoms	1
316 Cholangitis, chronic.		Note: Where residual adhesions constitute the	
Rate as for chronic cholecystitis.		predominant disability, rate under diagnostic	
'317 Gall bladder, injury of.		code 7301. 7330 Intestine, fistula of, persistent, or after at-	
Rate as for peritoneal adhesions.		tempt at operative closure:	
318 Gall bladder, removal of:		Copious and frequent, fecal discharge	10
With severe symptoms	30	Constant or frequent, fecal discharge	6
With mild symptoms Nonsymptomatic	10	Slight infrequent, fecal discharge	3
Spleen, disease or injury of.	"	Healed; rate for peritoneal adhesions.	
See Hemic and Lymphatic Systems.		7331 Peritonitis, tuberculous, active or inactive:	10
319 Irritable colon syndrome (spastic colitis, mu-		ActiveInactive: See §§ 4.88b and 4.89.	10
cous colitis, etc.):		7332 Rectum and anus, impairment of sphincter	
Severe; diarrhea, or alternating diarrhea and		control:	
constipation, with more or less constant ab-		Complete loss of sphincter control	10
dominal distress	30	Extensive leakage and fairly frequent involun-	
ance with abdominal distress	10	tary bowel movements	6
Mild; disturbances of bowel function with occa-		Occasional involuntary bowel movements, ne- cessitating wearing of pad	3
sional episodes of abdominal distress	0	Constant slight, or occasional moderate leak-	"
'321 Amebiasis:		age	1
Mild gastrointestinal disturbances, lower ab-		Healed or slight, without leakage	
dominal cramps, nausea, gaseous distention,	10	7333 Rectum and anus, stricture of:	
chronic constipation interrupted by diarrhea Asymptomatic	0	Requiring colostomy	10
NOTE: Amebiasis with or without liver abscess		Great reduction of lumen, or extensive leakage Moderate reduction of lumen, or moderate con-	5
is parallel in symptomatology with ulcerative		stant leakage	3
colitis and should be rated on the scale pro-		7334 Rectum, prolapse of:	
vided for the latter. Similarly, lung abscess		Severe (or complete), persistent	5
due to amebiasis will be rated under the res-		Moderate, persistent or frequently recurring	3
piratory system schedule, diagnostic code		Mild with constant slight or occasional mod-	Ι.
6809. 322 Dysentery, bacillary.		erate leakage	1
Rate as for ulcerative colitis		7335 Ano, fistula in. Rate as for impairment of sphincter control.	
323 Colitis, ulcerative:		7336 Hemorrhoids, external or internal:	
Pronounced; resulting in marked malnutrition,		With persistent bleeding and with secondary	
anemia, and general debility, or with serious		anemia, or with fissures	2
complication as liver abscess	100	Large or thrombotic, irreducible, with excessive	
Severe; with numerous attacks a year and mal-		redundant tissue, evidencing frequent	
nutrition, the health only fair during remis-	60	recurrences	1
sions Moderately severe; with frequent exacerbations	60 30	Mild or moderate	
Moderate; with infrequent exacerbations	10	7337 Pruritus ani. Rate for the underlying condition.	
324 Distomiasis, intestinal or hepatic:	'0	7338 Hernia, inguinal:	
Severe symptoms	30	Large, postoperative, recurrent, not well sup-	
Moderate symptoms	10	ported under ordinary conditions and not	
Mild or no symptoms	0	readily reducible, when considered inoper-	
	1	able	l 6

38 CFR Ch. I (7-1-19 Edition)

	Rating		Rating
Small, postoperative recurrent, or unoperated irremediable, not well supported by truss, or not readily reducible Postoperative recurrent, readily reducible and well supported by truss or belt Not operated, but remediable Small, reducible, or without true hernia protru-	30 10 0	Daily fatigue, malaise, and anorexia, with minor weight loss and hepatomegaly, or; incapacitating episodes (with symptoms such as fatigue, malaise, nausea, vomiting, anorexia, arthralgia, and right upper quadrant pain) having a total duration of at least four weeks, but less than six weeks, during the past 12-	40
sion	0	month period	40
7339 Hernia, ventral, postoperative: Massive, persistent, severe diastasis of recti muscles or extensive diffuse destruction or weakening of muscular and fascial support of abdominal wall so as to be inoperable	100	weeks, but less than four weeks, during the past 12-month period	20
Large, not well supported by belt under ordinary conditions	40	rexia, arthralgia, and right upper quadrant pain) having a total duration of at least one week, but less than two weeks, during the	
nary conditions, or healed ventral hernia or post-operative wounds with weakening of abdominal wall and indication for a supporting belt	20	past 12-month period	10 0
belt not indicated	0	same signs and symptoms as the basis for evaluation under DC 7354 and under a diag-	
Rate as for inguinal hernia.		nostic code for sequelae. (See § 4.14.).	
7342 Visceroptosis, symptomatic, marked	10	NOTE (2): For purposes of evaluating conditions under diagnostic code 7345, "incapacitating	
7343 Malignant neoplasms of the digestive system, exclusive of skin growths	100	episode" means a period of acute signs and	
NOTE: A rating of 100 percent shall continue beyond the cessation of any surgical, X-ray, antineoplastic chemotherapy or other therapeutic procedure. Six months after discontinuance of such treatment, the appropriate disability rating shall be determined by mandatory VA examination. Any change in evaluation based upon that or any subsequent examination shall be subject to the	100	symptoms severe enough to require bed rest and treatment by a physician. NOTE (3): Hepatitis B infection must be confirmed by serologic testing in order to evaluate it under diagnostic code 7345. 7346 Hernia hiatal: Symptoms of pain, vomiting, material weight loss and hematemesis or melena with moderate anemia; or other symptom combinations productive of severe impairment of	
provisions of §3.105(e) of this chapter. If there has been no local recurrence or metas- tasis, rate on residuals. 7344 Benign neoplasms, exclusive of skin		health Persistently recurrent epigastric distress with dysphagia, pyrosis, and regurgitation, accom- panied by substernal or arm or shoulder	60
growths: Evaluate under an appropriate diagnostic code,		pain, productive of considerable impairment of health	30
depending on the predominant disability or		With two or more of the symptoms for the 30	
the specific residuals after treatment. 7345 Chronic liver disease without cirrhosis (including hepatitis B, chronic active hepatitis, auto-immune hepatitis, hemochromatosis, drug-induced hepatitis, etc., but excluding bile duct dis-		percent evaluation of less severity	10
orders and hepatitis C): Near-constant debilitating symptoms (such as fatigue, malaise, nausea, vomiting, anorexia, arthralgia, and right upper quadrant pain)	100	tion, diarrhea and severe malnutrition	100
Daily fatigue, malaise, and anorexia, with sub- stantial weight loss (or other indication of	100	tween acute attacks	60
malnutrition), and hepatomegaly, or; inca- pacitating episodes (with symptoms such as		remission between attacks	30
fatigue, malaise, nausea, vomiting, anorexia, arthralgia, and right upper quadrant pain) having a total duration of at least six weeks during the past 12-month period, but not occurring constantly	60	With at least one recurring attack of typical severe abdominal pain in the past year	10
		7348 Vagotomy with pyloroplasty or gastro- enterostomy:	

Followed by demonstrably confirmative post- operative complications of stricture or con- tinuing gastric retention
With symptoms and confirmed diagnosis of al- kaline gastritis, or of confirmed persisting di- arrhea
Recurrent ulcer with incomplete vagotomy NOTE: Rate recurrent ulcer following complete vagotomy under diagnostic code 7305, minimum rating 20 percent; and rate dumping syndrome under diagnostic code 7308. 7351 Liver transplant:
For an indefinite period from the date of hospital admission for transplant surgery
NOTE: A rating of 100 percent shall be assigned as of the date of hospital admission for transplant surgery and shall continue. One year following discharge, the appropriate disability rating shall be determined by mandatory VA examination. Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of
§ 3.105(e) of this chapter. 7354 Hepatitis C (or non-A, non-B hepatitis):
With serologic evidence of hepatitis C infection and the following signs and symptoms due to hepatitis C infection:
Near-constant debilitating symptoms (such as fatigue, malaise, nausea, vomiting, anorexia, arthralgia, and right upper quadrant pain)
Daily fatigue, malaise, and anorexia, with sub- stantial weight loss (or other indication of malnutrition), and hepatomegaly, or; inca- pacitating episodes (with symptoms such as fatigue, malaise, nausea, vomiting, anorexia, arthralgia, and right upper quadrant pain)
having a total duration of at least six weeks during the past 12-month period, but not occurring constantly
Daily fatigue, malaise, and anorexia, with minor weight loss and hepatomegaly, or; incapaci- tating episodes (with symptoms such as fa- tigue, malaise, nausea, vomiting, anorexia,
arthralgia, and right upper quadrant pain) having a total duration of at least four weeks, but less than six weeks, during the past 12-month period
Daily fatigue, malaise, and anorexia (without weight loss or hepatomegaly), requiring die- tary restriction or continuous medication, or;
incapacitating episodes (with symptoms such as fatigue, malaise, nausea, vomiting, ano- rexia, arthralgia, and right upper quadrant pain) having a total duration of at least two
weeks, but less than four weeks, during the past 12-month period
incapacitating episodes (with symptoms such as fatigue, malaise, nausea, vomiting, ano- rexia, arthralgia, and right upper quadrant

pain) having a total duration of at least one

week, but less than two weeks, during the

past 12-month period

Nonsymptomatic ..

	Rating
NoTE (1): Evaluate sequelae, such as cirrhosis or malignancy of the liver, under an appropriate diagnostic code, but do not use the same signs and symptoms as the basis for evaluation under DC 7354 and under a diagnostic code for sequelae. (See § 4.14.). NOTE (2): For purposes of evaluating conditions under diagnostic code 7354, "incapacitating episode" means a period of acute signs and symptoms severe enough to require bed rest and treatment by a physician.	

(Authority: 38 U.S.C. 1155)

Rating

40

30 20

100

[29 FR 6718, May 22, 1964, as amended at 34 FR 5063, Mar. 11, 1969; 40 FR 42540, Sept. 15, 1975; 41 FR 11301, Mar. 18, 1976; 66 FR 29488, May 31, 2001]

THE GENITOURINARY SYSTEM

§ 4.115 Nephritis.

Albuminuria alone is not nephritis, nor will the presence of transient albumin and casts following acute febrile illness be taken as nephritis. The glomerular type of nephritis is usually preceded by or associated with severe infectious disease; the onset is sudden, and the course marked by red blood cells, salt retention, and edema; it may clear up entirely or progress to a chronic condition. The nephrosclerotic type, originating in hypertension or arteriosclerosis, develops slowly, with minimum laboratory findings, and is associated with natural progress. Separate ratings are not to be assigned for disability from disease of the heart and any form of nephritis, on account of the close interrelationships of cardiovascular disabilities. If, however, absence of a kidney is the sole renal disability, even if removal was required because of nephritis, the absent kidney and any hypertension or heart disease will be separately rated. Also, in the event that chronic renal disease has progressed to the point where regular dialysis is required, any coexisting hypertension or heart disease will be separately rated.

[41 FR 34258, Aug. 13, 1976, as amended at 59
 FR 2527, Jan. 18, 1994]

§ 4.115a Ratings of the genitourinary system—dysfunctions.

Diseases of the genitourinary system generally result in disabilities related